USA

Enduraplas

2015
Product Guide
Edition

Designed to perform better

Endura
Fertilizer
Management

Company Services



Designed

Manufactured

Tested

Support

Satisfaction

Proven

Your Local Dealer Support

Your local Enduraplas dealer is there to provide you with first class service and help you make the best choice at the right time. They are proven problem solvers and your local experts. So, depend on them and take advantage of their on-the-ground service and local knowledge.

- Endura Water Management
- Endura Fertilizer Management
- Endura Refueling Management
- Endura Spray Management
- Endura Livestock Management
- Endura Fire Protection
- Endura Mining, Industrial & Construction

Contents

Flat Bottom Storage Tanks
Page 4

Cone Bottom Storage Tanks
Page 10

Freestanding Tanks
Page 14

Sump Bottom Tanks
Page 19

Nurse Trailers
Page 24

Goose Neck Trailers
Page 28

Storage Trailers
Page 29

Fertilizer Accessories
Page 31

Liquid Semi Trailers
Page 35

Storage Tanks

Designed to perform better



3 things to consider when purchasing a storage tank

What is the tank's warranty and why is it important?
Has the tank been manufactured under a stringent manufacturing process?
Is its design tried and proven?

Enduraplas

Storage Tanks

THESE TANKS ARE NOT MADE FROM RECYCLED MATERIAL

Consider the double benefit of an Enduraplas tank

- Heavy wall
- Premium A grade quality poly (NOT Recycled)

RISK FREE CONSTRUCTION

No need to worry anymore about losing your expensive liquid. This tank is safe with its superior ribbed side wall that provides extra strength. It includes max wall thickness at the base of the tank to eliminate bulging.

SAFETY TIE DOWN POINTS

This tank comes with molded in tie down points to secure your tank. This added feature can also be used for lifting your tank around your yard. A safe but convenient benefit.

CONVENIENT CALIBRATION

Have you ever wondered how much liquid you have left in your tank. This tank comes complete with easy read calibration numbers to ensure you never run out in the busy season.

ARE YOU AT RISK?

Ka-BAM!

Now that's a strong tank!

THESE TANKS ARE NOT MADE FROM RECYCLED MATERIAL

Consider the double benefit of an Enduraplas tank

- Heavy wall
- Premium A grade quality poly (NOT Recycled)

Flat Bottom Tanks

THV10000FG

Capacity (U.S. gallons)	10,400 gallons
Dimensions	144"W x 178"H
Fitting Size	3"

THV08000FG

Capacity (U.S. gallons)	8,150 gallons
Dimensions	144"W x 142"H
Fitting Size	3"

THV07011FG

Capacity (U.S. Gallons)	7011 gallons
Dimensions	144"W x 126"H
Fitting Size	3"

THV06011FG

Capacity (U.S. gallons)	6011 gallons
Dimensions	144"W x 110"H
Fitting Size	3"

THV06000FG

Capacity (U.S. gallons)	6500 gallons
Dimensions	110"W x 179"H
Fitting Size	3"

THV05000FG

Capacity (U.S. gallons)	5500 gallons
Dimensions	110"W x 150"H
Fitting Size	3"

THV04000FG

Capacity (U.S. gallons)	4100 gallons
Dimensions	110"W x 124"H
Fitting Size	3"

THV03200FG

Capacity (U.S. gallons)	3300 gallons
Dimensions	110"W x 103"H
Fitting Size	3"

THV03000FG

Capacity (U.S. gallons)	3126 gallons
Dimensions	90"W x 125"H
Fitting Size	3"

Flat Bottom Tanks

THV02520FG

Capacity (U.S. gallons)	2600 gallons
Dimensions	110"W x 86"H
Fitting Size	2"

THV02500FG

Capacity (U.S. gallons)	2680 gallons
Dimensions	90"W x 113"H
Fitting Size	2"

THV02100FG

Capacity (U.S. gallons)	2208 gallons
Dimensions	85"W x 100"H
Fitting Size	2"

THV02020FG

Capacity (U.S. gallons)	2100 gallons
Dimensions	110"W x 73"H
Fitting Size	2"

THV02000FG

Capacity (U.S. gallons)	2276 gallons
Dimensions	90"W x 93"H
Fitting Size	2"

THV01750FG

Capacity (U.S. gallons)	2009 gallons
Dimensions	85"W x 89"H
Fitting Size	2"

THV01650FG

Capacity (U.S. gallons)	1731 gallons
Dimensions	90"W x 73"H
Fitting Size	2"

THV01550FG

Capacity (U.S. gallons)	1700 gallons
Dimensions	85"W x 80"H
Fitting Size	2"

THV01400FG

Capacity (U.S. gallons)	1450 gallons
Dimensions	80"W x 100"H
Fitting Size	2"

Flat Bottom Tanks

THV01350FG

Capacity (U.S. gallons)	1530 gallons
Dimensions	85"W x 71"H
Fitting Size	2"

THV01000FG

Capacity (U.S. gallons)	1125 gallons
Dimensions	80"W x 65"H
Fitting Size	2"

THV00600FG

Capacity (U.S. gallons)	600 gallons
Dimensions	40"W x 120"H
Fitting Size	2"

THV00450FG

Capacity (U.S. gallons)	450 gallons
Dimensions	40"W x 94"H

THV00340FG

Capacity (U.S. gallons)	340 gallons
Dimensions	40"W x 74"H

THV00210FG

Capacity (U.S. gallons)	210 gallons
Dimensions	40"W x 47.5"H

ATG01

Description	Sight Glass Kit

THV00200FG

Capacity (U.S. gallons)	200 gallons
Dimensions	30"W x 79"H

THV00150FG

Capacity (U.S. gallons)	150 gallons
Dimensions	30"W x 61"H

THV00100FG

Capacity (U.S. gallons)	100 gallons
Dimensions	30"W x 43"H

THV00050FG

Capacity (U.S. gallons)	50 gallons
Dimensions	30"W x 25"H

Cone Bottom Tanks

Designed to perform better

3 things to consider when purchasing a cone bottom tank

Is the frame heavy enough, engineered designed?
Is the tank secured properly to the frame?
Why is the roof structure on the tank important?

Enduraplas

Cone Bottom Tanks



Ribbed sidewall tanks for extra strength

Cone tanks require an approved stand to support the base of the tank. We recommend using Enduraplas field-tested cone stands.



15˚ cone bottom tanks supplied with full drain fitting

THC10000KFG

Capacity (U.S. gallons)	10,400 gallons
Description	Tank with stand
Dimensions	144"W x 202"H

THC10000FG

Capacity (U.S. gallons)	10,400 gallons
Description	Cone tank only
Dimensions	144"W x 193"H

THC08000KFG

Capacity (U.S. gallons)	8,150 gallons
Description	Tank with stand
Dimensions	144"W x 166"H

THC08000FG

Capacity (U.S. gallons)	8150 gallons
Description	Cone tank only
Dimensions	144"W x 158"H

THC07011KFG

Capacity (U.S. gallons)	7011 gallons
Description	Tank with stand
Dimensions	144"W x 150"H

THC07011FG

Capacity (U.S. gallons)	7011 gallons
Description	Cone tank only
Dimensions	144"W x 141"H

Cone Bottom Tanks

THC6000KFG

Capacity (U.S. gallons)	6500 gallons
Description	Tank with stand
Dimensions	110"W x 204"H

THC6000FG

Capacity (U.S. Gallons)	6500 gallons
Description	Cone tank only
Dimensions	110"W x 195"H

THC06011KFG

Capacity (U.S. Gallons)	6011 gallons
Description	Tank with stand
Dimensions	144"W x 134"H

THC06011FG

Capacity (U.S. Gallons)	6011 gallons
Description	Cone tank only
Dimensions	144"W x 125"H

THC05000KFG

Capacity (U.S. Gallons)	5500 gallons
Description	Tank with stand
Dimensions	110"W x 175"H

THC05000FG

Capacity (U.S. Gallons)	5500 gallons
Description	Cone tank only
Dimensions	110"W x 166"H

THC04000KFG

Capacity (U.S. Gallons)	4100 gallons
Description	Tank with stand
Dimensions	110"W x 146"H

THC04000FG

Capacity (U.S. Gallons)	4100 gallons
Description	Cone tank only
Dimensions	110"W x 135"H

THC03200KFG

Capacity (U.S. Gallons)	3300 gallons
Description	Tank with stand
Dimensions	110"W x 126"H

THC03200FG

Capacity (U.S. Gallons)	3300 gallons
Description	Cone tank only
Dimensions	110"W x 116"H

THC03000KFG

Capacity (U.S. Gallons)	3126 gallons
Description	Tank with stand
Dimensions	90"W x 146"H

THC03000FG

Capacity (U.S. Gallons)	3126 gallons
Description	Tank only
Dimensions	90"W x 136"H

Cone Bottom Tanks

THC02520KFG

Capacity (U.S. Gallons)	2600 gallons
Description	Tank with stand
Dimensions	110"W x 108"H

THC02520FG

Capacity (U.S. Gallons)	2600 gallons
Description	Tank only
Dimensions	110"W x 99"H

THC02500KFG

Capacity (U.S. Gallons)	2680 gallons
Description	Tank with stand
Dimensions	90"W x 130"H

THC02500FG

Capacity (U.S. Gallons)	2680 gallons
Description	Tank only
Dimensions	90"W x 120"H

THC02020KFG

Capacity (U.S. Gallons)	2100 gallons
Description	Tank with stand
Dimensions	110"W x 96"H

THC02020FG

Capacity (U.S. Gallons)	2100 gallons
Description	Tank only
Dimensions	110"W x 87"H

THC02000KFG

Capacity (U.S. Gallons)	2276 gallons
Description	Tank with stand
Dimensions	90"W x 113"H

THC02000FG

Capacity (U.S. Gallons)	2276 gallons
Description	Tank only
Dimensions	90"W x 102"H

THC01600KFG

Capacity (U.S. Gallons)	1700 gallons
Description	Tank with stand
Dimensions	90"W x 96"H

THC01600FG

Capacity (U.S. Gallons)	1700 gallons
Description	Tank only
Dimensions	90"W x 86"H

THC01200KFG

Capacity (U.S. Gallons)	1250 gallons
Description	Tank with stand
Dimensions	90"W x 83"H

THC01200FG

Capacity (U.S. Gallons)	1250 gallons
Description	Tank only
Dimensions	90"W x 73"H

Transport Tanks

Designed to perform better

3 things to consider when purchasing a transport tank

Does the tank have smooth walls to make cleaning easy?
Does the tank have a maintenance free mounting system?
Is a heavy wall tank important for transport?

Enduraplas

Transport Tanks

THESE TANKS ARE NOT MADE FROM RECYCLED MATERIAL

Consider the double benefit of an Enduraplas tank

- Heavy wall
- Premium A grade quality poly (NOT Recycled)

PIN MOUNT ADVANTAGE

There is no need to tighten bands and hoops after filling. This tank is mounted directly to the surface of your truck bed and requires no maintenance. No need to worry about if your tank is loose and moving, causing your truck to rock.

NO MORE FERTILIZER LOSS

The new and improved stainless steel lid is here. This tank is fitted with a superior lid that contains an anti spill seal kit that blocks even the smallest drop.

EASY TO CLEAN

A smooth tank wall allows you to remove the last drop of your liquid. No need to worry about liquid getting trapped in corners. No more spraying the wrong liquid at the wrong time.

Freestanding Tanks

THF04500FG

Capacity (U.S. Gallons)	4500 gallons
Dimensions	179"L x 95"W x 84"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF03500FG

Capacity (U.S. Gallons)	3500 gallons
Dimensions	179"L x 95"W x 70"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF03200FG

Capacity (U.S. Gallons)	3200 gallons
Dimensions	145"L x 97"W x 79"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF03000FG

Capacity (U.S. Gallons)	3000 gallons
Dimensions	130"L x 87"W x 90"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF02800FG

Capacity (U.S. Gallons)	2800 gallons
Dimensions	145"L x 97"W x 75"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF02500FG

Capacity (U.S. Gallons)	2500 gallons
Dimensions	130"L x 87"W x 75"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF02200FG

Capacity (U.S. Gallons)	2200 gallons
Dimensions	130"L x 71"W x 72"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF01900FG

Capacity (U.S. Gallons)	1900 gallons
Dimensions	130"L x 71"W x 65"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF01600FG

Capacity (U.S. Gallons)	1600 gallons
Dimensions	130"L x 71"W x 59"H
Fitting Size	3"
Pins Required	8 (AZP04 – $15.00 ea)

THF01400FG

Capacity (U.S. Gallons)	1400 gallons
Dimensions	102"L x 70"W x 66"H
Fitting Size	2"
Pins Required	6 (AZP04 – $15.00 ea)

Freestanding Tanks

THF01200FG

Capacity (U.S. Gallons)	1200 gallons
Dimensions	102"L x 70"W x 59"H
Fitting Size	2"
Pins Required	6 (AZP04 – $15.00 ea)

THF01000FG

Capacity (U.S. Gallons)	1100 gallons
Dimensions	94"L x 60"W x 63"H
Fitting Size	2"
Pins Required	6 (AZP03 – $13.00 ea)

THF00800FG

Capacity (U.S. Gallons)	800 gallons
Dimensions	94"L x 60"W x 48"H
Fitting Size	2"
Pins Required	6 (AZP03 – $13.00 ea)

THF00500FG

Capacity (U.S. Gallons)	550 gallons
Dimensions	80"L x 57"W x 40"H
Fitting Size	2"
Pins Required	6 (AZP03 – $13.00 ea)

THF00400FG

Capacity (U.S. Gallons)	400 gallons
Dimensions	74"L x 46"W x 37"H
Fitting Size	2"
Pins Required	4 (AZP02 – $12.00 ea)

THF00300FG

Capacity (U.S. Gallons)	340 gallons
Dimensions	74"L x 46"W x 31"H
Fitting Size	2"
Pins Required	4 (AZP02 – $12.00 ea)

ATG01

Description	Sight Glass Kit

THF00250FG

Capacity (U.S. Gallons)	260 gallons
Dimensions	55"L x 47"W x 34"H
Fitting Size	2"
Pins Required	4 (AZP01 – $11.00 ea)

THF00200FG

Capacity (U.S. Gallons)	200 gallons
Dimensions	55"L x 47"W x 27" H
Fitting Size	2"
Pins Required	4 (AZP01 – $11.00 ea)

THF00150FG

Capacity (U.S. Gallons)	160 gallons
Dimensions	46"L x 41"W x 28"H
Fitting Size	2"
Pins Required	4 (AZP01 – $11.00 ea)

THF00100FG

Capacity (U.S. Gallons)	110 gallons
Dimensions	46"L x 41"W x 21"H
Fitting Size	2"
Pins Required	4 (AZP01 – $11.00 ea)

NO NEED TO TIGHTEN BANDS AND HOOPS

Sump Bottom Tanks

THD03200FG

Capacity (U.S. Gallons)	3200 gallons
Dimensions	145"L x 97"W x 83"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)

THD03200KFG

Capacity (U.S. Gallons)	3200 gallons
Dimensions	145"L x 97"W x 84"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

THD03000FG

Capacity (U.S. Gallons)	3000 gallons
Dimensions	130"L x 87"W x 93"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)

THD03000KFG

Capacity (U.S. Gallons)	3000 gallons
Dimensions	130"L x 87" Wx 94"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

THD02800FG

Capacity (U.S. Gallons)	2800 gallons
Dimensions	145"L x 97"W x 75"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)

THD02800KFG

Capacity (U.S. Gallons)	2800 gallons
Dimensions	145"L x 97"W x 76"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

Sump Bottom Tanks

THD02500FG

Capacity (U.S. Gallons)	2500 gallons
Dimensions	130"L x 87"W x 77"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)

THD02500KFG

Capacity (U.S. Gallons)	2500 gallons
Dimensions	130"L x 87"W x 78"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

THD02200FG

Capacity (U.S. Gallons)	2200 gallons
Dimensions	130"L x 71"W x 75"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)

THD02200KFG

Capacity (U.S. Gallons)	2200 gallons
Dimensions	130"L x 71"W x 76"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

THD01900FG

Capacity (U.S. Gallons)	1900 Gallons
Dimensions	130"L x 70"W x 69"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)



THD01900KFG

Capacity (U.S. Gallons)	1900 Gallons
Dimensions	130"L x 71"W x 70"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

THD01600FG

Capacity (U.S. Gallons)	1600 gallons
Dimensions	130"L x 71"W x 59"H
Mounting	No Frame
Lid Size	16"
Pins Required	8 (AZP04 – $15.00 ea)

THD01600KFG

Capacity (U.S. Gallons)	1600 gallons
Dimensions	130"L x 71"W x 60"H
Mounting	With Frame
Lid Size	16"
Pins Required	8 Pins Included

THD01400KDFG

Capacity (U.S. Gallons)	2800 gallons
Dimensions	102"L x 144"W x 71"H
Mounting	With Frame
Lid Size	16"
Pins Required	12 Pins Included

Sump Bottom Tanks

THD01400FG

Capacity (U.S. Gallons)	1400 gallons
Dimensions	102"L x 70"W x 70"H
Mounting	No Frame
Lid Size	16"
Pins Required	6 (AZP04 – $15.00 ea)

THD01400KFG

Capacity (U.S. Gallons)	1400 gallons
Dimensions	102"L x 70"W x 71"H
Mounting	With Frame
Lid Size	16"
Pins Required	6 Pins Included

THD01200FG

Capacity (U.S. Gallons)	1200 gallons
Dimensions	102"L x 70"W x 63"H
Mounting	No Frame
Lid Size	16"
Pins Required	6 (AZP04 – $15.00 ea)

THD01200KFG

Capacity (U.S. Gallons)	1200 gallons
Dimensions	102"L x 70"W x 64"H
Mounting	With Frame
Lid Size	16"
Pins Required	6 Pins Included

THD01200KDFG

Capacity (U.S. Gallons)	2400 gallons
Dimensions	102"L x 144"W x 63"H
Mounting	With Frame
Lid Size	16"
Pins Required	12 Pins Included

THD01000FG

Capacity (U.S. Gallons)	1000 gallons
Dimensions	94"L x 60"W x 70"H
Mounting	No Frame
Lid Size	16"
Pins Required	6 (AZP03 – $13.00 ea)

THD01000KFG

Capacity (U.S. Gallons)	1000 gallons
Dimensions	94"L x 60"W x 71"H
Mounting	With Frame
Lid Size	16"
Pins Required	6 Pins Included

THD00800FG

Capacity (U.S. Gallons)	800 gallons
Dimensions	94"L x 60"W x 55"H
Mounting	No Frame
Lid Size	16"
Pins Required	6 (AZP03 – $13.00 ea)

THD00800KFG

Capacity (U.S. Gallons)	800 gallons
Dimensions	94"L x 60"W x 56"H
Mounting	With Frame
Lid Size	16"
Pins Required	6 Pins Included

Sump Bottom Tanks

THD00500FG

Capacity (U.S. Gallons)	550 gallons
Dimensions	80"L x 57"W x 48"H
Mounting	No Frame
Lid Size	16"
Pins Required	6 (AZP03 – $13.00 ea)

THD00500KFG

Capacity (U.S. Gallons)	550 gallons
Dimensions	80"L x 57"W x 49"H
Mounting	With Frame
Lid Size	16"
Pins Required	6 Pins Included

THD00400FG

Capacity (U.S. Gallons)	400 gallons
Dimensions	74"L x 46"W x 42"H
Mounting	No Frame
Lid Size	16"
Pins Required	4 (AZP02 – $12.00 ea)

THD00400KFG

Capacity (U.S. Gallons)	400 gallons
Dimensions	74"L x 46"W x 45"H
Mounting	With Frame
Lid Size	16"
Pins Required	4 Pins Included

THD00300FG

Capacity (U.S. Gallons)	340 gallons
Dimensions	74"L x 46"W x 34"H
Mounting	No Frame
Lid Size	16"
Pins Required	4 (AZP02 – $12.00 ea)

THD00300KFG

Capacity (U.S. Gallons)	340 gallons
Dimensions	74"L x 46"W x 36"H
Mounting	With Frame
Lid Size	16"
Pins Required	4 Pins Included

THD00250FG

Capacity (U.S. Gallons)	260 gallons
Dimensions	55"L x 47"W x 37"H
Mounting	No Frame
Lid Size	16"
Pins Required	4 (AZP01 – $11.00 ea)

THD00250KFG

Capacity (U.S. Gallons)	260 gallons
Dimensions	55"L x 47W" x 38"H
Mounting	With Frame
Lid Size	16"
Pins Required	4 Pins Included

THD00200FG

Capacity (U.S. Gallons)	210 gallons
Dimensions	55"L x 47"W x 31"H
Mounting	No Frame
Lid Size	16"
Pins Required	4 (AZP01 – $11.00 ea)

Sump Bottom Tanks

THD00200KFG

Capacity (U.S. Gallons)	210 gallons
Dimensions	55"L x 47"W x 32"H
Mounting	With Frame
Lid Size	16"
Pins Required	4 Pins Included

THD00150FG

Capacity (U.S. Gallons)	160 gallons
Dimensions	46"L x 41"W x 33"H
Mounting	No Frame
Lid Size	8"
Pins Required	4 (AZP01 – $11.00 ea)

THD00150KFG

Capacity (U.S. Gallons)	160 gallons
Dimensions	46"L x 41"W x 34"H
Mounting	With Frame
Lid Size	8"
Pins Required	4 Pins Included

THD00100FG

Capacity (U.S. Gallons)	110 gallons
Dimensions	46"L x 41"W x 27"H
Mounting	No Frame
Lid Size	8"
Pins Required	4 (AZP01 – $11.00 ea)

THD00100KFG

Capacity (U.S. Gallons)	110 gallons
Dimensions	46"L x 41"W x 28"H
Mounting	With Frame
Lid Size	8"
Pins Required	4 Pins Included

AZFDP

Description	Optional tank frame pump mounting plate

Trailers

Designed to perform better

3 things to consider when purchasing a trailer

Are you looking for a trailer that will last longer?
Is your trailer's warranty important to you?
Is filling and dispensing speed important to you, what is your time worth?

Enduraplas

Trailers

THESE TANKS ARE NOT MADE FROM RECYCLED MATERIAL

Consider the double benefit of an Enduraplas tank

- Heavy wall
- Premium A grade quality poly (NOT Recycled)

A FRAME THAT WON'T GIVE UP

Our large range of trailers come complete with a frame that is built to stand up to all conditions. Whether you are on the highway or bumping along rough terrain, you're safe.

WORRY FREE PLUMBING

No need to worry if you are losing fertilizer. Each Trailer is tested and approved to confirm that all fittings are completely secure.

SEE PAGE 26 TO HELP BUILD YOUR PERFECT TRAILER

Die Cast Replica

1/32 Scale

Description Model Nurse Trailer

Nurse Trailers

800 GAL



1000 GAL



YOUR CHOICE OF PLUMBING PACKAGES

1200 GAL



ALSO AVAILABLE IN 1400 AND 1900 GALLONS

1600 GAL



Trailer Accessories



Y-Strainer Kit



4' Wood Deck

Sight Glass Kit



Light Kit/Front

Light Kit/Rear

Storage Trailer Hose Rack

Fender for up to 1400 Gal

Fender for 1600 Gal and up

Side Fill Kit

Recirculation Kit



Clevis Hitch

Ball Hitch

Trailers

1200 Gal

1600 Gal

What sets our trailers apart?

PIN MOUNT TANK
No maintenance required with the pin mount design. There are no wear points on the tank which means no more tightening bands and hoops

WORRY FREE PLUMBING
Each of our trailers come complete with tried and tested plumbing. There is know more worrying about if you are losing expensive fertilizer

TRAILER FINISH
Enduraplas trailer frames are a cut above the rest. Finished with a superior powder coating and built to take the knock of harsh weather conditions

Cone Bottom Trailers

SAFETY TIE DOWN POINTS
This tank comes with molded in tie down points to secure your tank. This eliminates any worry of your tank coming loose

TIME SAVING PLUMBING
Have you ever calculated your money lost from your time lost. This trailer comes plumbed with sweep elbows that provide 29% higher flow

LONG LASTING FRAME
Powder Coated with a superior finish, this trailer is built to take the knock

Triple Cone

Available Sizes	Raised Height	Lowered Height
5000 Gallons	143"	131"
6000 Gallons	158"	146"
7500 Gallons	143"	131"
9000 Gallons	158"	146"

NOW MORE AFFORDABLE THAN EVER BEFORE

2" Banjo pump Briggs & Stratton Engine
Sweep elbows for 29% higher flow
Highway tires on Ag rims with 7K spring axles
Durable powdercoat finish
(UPGRADE TO A HONDA ENGINE & RECIRCULATION KIT)

Capacity (U.S. Gallons)	1100 gallons
Description	Silver selection nurse trailer
Dimensions	156"L x 86"W x 89"H

1.877.877.4370 | enduraplas.com

Enduraplas

Mixing Tanks

THM030KWH01

Capacity (U.S. Gallons)	30 gallons
Description	mixing tank for 2" or 3" plumbing
Dimensions	20"W X 45"H

THM030AKWH01

Capacity (U.S. Gallons)	30 gallons
Description	mixing tank for 2" or 3" plumbing
Dimensions	24"W x 42"H

THM045KWH01

Capacity (U.S. Gallons)	45 gallons
Description	mixing tank for 2" or 3" plumbing
Dimensions	30"W x 43"H

THM060KWH01

Capacity (U.S. Gallons)	60 gallons
Description	mixing tank for 2" or 3" plumbing
Dimensions	30"W x 45"H

CBMIS220AA

Description	2" venturi option for mixing tank

CBMIS300AA

Description	3" venturi option for mixing tank

Deluxe Pump Cover

Taking care of your engine

Description	Pump engine cover

Endura Fertilizer Management

1.877.877.4370 | enduraplas.com

Transfer Pumps

APHP2P130P

APHP2P130EP

APHP2P065P

1543P-130SP, 1543P-130ESP — **US Standard**

GPM at 0 PSI	GPM at 10 PSI	GPM at 20 PSI	GPM at 30 PSI	GPM at 40 PSI	GPM at 50 PSI	GPM at 54 PSI
440	400	338	269	184	68	0

1543P-130SP, 1543P-130ESP — **Metric**

LPM at 0 BAR	LPM at 0.7 BAR	LPM at 1.4 BAR	LPM at 2.1 BAR	LPM at 2.8 BAR	LPM at 3.4 BAR	LPM at 3.7 BAR
1666	1514	1279	1018	697	257	0

Description 3" Hypro pump w/13HP recoil PowerPro

Description 3" Hypro pump w/13HP elec start PowerPro

1542P-65SP — **US Standard**

GPM at 0 PSI	GPM at 10 PSI	GPM at 20 PSI	GPM at 30 PSI	GPM at 40 PSI	GPM at 50 PSI	GPM at 58 PSI
200	182	162	136	106	65	0

1542P-65SP — **Metric**

LPM at 0 BAR	LPM at 0.7 BAR	LPM at 1.4 BAR	LPM at 2.1 BAR	LPM at 2.8 BAR	LPM at 3.4 BAR	LPM at 4.0 BAR
757	689	613	515	401	246	0

Description 2" Hypro pump w/6.5HP recoil PowerPro

CB200PH5

CB300PH6

CB222PIH5

Description	2" Banjo pump w/ 5.5HP recoil Honda

Description	3" Banjo pump w/ 6HP recoil Honda

Description	2" Cast Iron Banjo Pump 5.5 HP Honda Engine



PERFORMANCE CHART @ 3450 RPM

Head (FT)	0	11	23	34	46	57	69	80	92	103
Pressure (PSI)	0	5	10	15	20	25	30	35	40	45
Flow (GPM)	195	180	170	155	145	125	110	85	60	20

Note: Curve based on water and pump spinning at 3450 RPM





Enduraplas

Banjo Fittings

CBST200

Description 2" Polypropylene Siphon Tube

CBST300

Description 3" Polypropylene Siphon Tube

CBVSMT204FP

Description 2" FP Male NPT x Fml NPT Thread

CBVSFMT204FP

Description 2" FP Mle Adptr x Mle NPT Thrds

CBVSMT300

Description 3" Male npt x 3" male adptr lng hndl

CBVSFMT300

Description 3" MT Stby Vlv w/ Long Handle

CBTF200

Description 2" Poly Tank Flng Assy 3" DIA

CBTF300

Description 3" Polypro Tank Flange Assy

CBTF400

Description 4" Poly Tank Flng Assy 3" DIA

CBBF330

Description 3"Bltd Tnk Flng-3"All Thrd Blt

CBBF330BD

Description 2" FP Male NPT x Fml NPT Thread

CBBF235BD

Description 2" FP Mle Adptr x Mle NPT Thrds

CBBF235

Description 3" Male npt x 3" male adptr lng hndl

AFSB0901

Description 3" MT Stby Vlv w/ Long Handle

AFSB1301

Description 2" Poly Tank Flng Assy 3" DIA

AFSB1701

Description 3" Polypro Tank Flange Assy

Accessories

CA356060

Description 16" Hinged – 2" Vented Tank Lid

CA3511221

Description Arag 8" Threaded - Vented Tank Lid Assy

CFLP16HV

Description 16" Hinged – 3" Vented Tank Lid

CFLS16HV

Description 16" Stainless Steel Lid

1 Description - 3" Reinforced flexible suction hose

2 Description - 3" Black and yellow flexible suction hose

3 Description - 2" Reinforced flexible suction hose

4 Description - 2" Black and yellow flexible suction hose

5 Description - 3/4" EPDM spray hose 200 psi

6 Description - 1/2" EPDM spray hose 200 psi

7 Description - 3/8" EPDM spray hose 200 psi

8 Description - 3/4" Clear vinyl SG hose

Steel Hose Reel

Description Hose reel for 50 feet of 2 inch hose

Description Hose reel for 50 feet of 3 inch hose

Liquid Handling Semi - Trailer

1 **WORRY FREE**
There is no need to fiddle around trying to plumb your own trailers. This trailer is available with a range of options to ensure it is ready to use when it arrives at your gate.

2 **HEAVY DUTY FRAME**
When the trailer frame is manufactured with passion, there is nothing to care about. This trailer is finished with a superior powder coat for extra strength and protection.

3 **NO MAINTENANCE** TANK
There is no need to tighten bands and hoops after filling. This tank is mounted directly to the surface of your truck bed and requires no maintenance. No need to worry about if your tank is loose and moving causing

Enduraplas

LICENSED PRODUCTS

1.877.877.4370 | enduraplas.com

Designed to perform better

- Endura Water Management
- Endura Fertilizer Management
- Endura Refueling Management
- Endura Spray Management
- Endura Livestock Management
- Endura Fire Protection
- Endura Mining, Industrial & Construction